


WIRING DEVICES

NEMA Plugs, Connectors and Receptacles



NEW
PRODUCT

50 Amp Products



50 Amp 4 Wires 3 Poles				
Configuration		Voltage	Plug	Connector
		125/250V AC	CS6365	CS6364
		3Ø 250V AC	CS8365	CS8364
		3Ø 480V AC	CS8165	CS8164

NEW PRODUCT



RK-TT30P

2 Pole, 3 Wire, 30A 125V
TT-30 Plug



RK-TT30C

2 Pole, 3 Wire, 30A 125V
TT-30 Connector



RK-ML3P

3 Pole, 3 Wire, 15A 125/250V
Midget Locking Plug



RK-ML3C

3 Pole, 3 Wire, 15A 125/250V
Midget Locking Connector



TABLE OF CONTENTS

目錄

NEMA Series Products 美規系列產品

Configuration Charts	1
極圖介紹	
Straight Blade Devices - NEMA 5-15	2
直式15A 125V 產品	
Straight Blade Devices - NEMA 6-15, NEMA 5-20, NEMA 6-20	3
直式NEMA 6-15, NEMA 5-20, NEMA 6-20 產品	
Locking Type Devices - 15A, 2 Pole 3 Wire Grounding	4
引掛式附接地3P15A產品	
Locking Type Devices - 20A & 30A, 2 Pole 3 Wire Grounding	5
引掛式附接地3P20A, 3P30A產品	
Locking Type Devices - 20A & 30A, 3 Pole 4 Wire Grounding	7
引掛式附接地4P20A, 4P30A產品	
Locking Type Devices - 20A & 30A, 4 Pole 5 Wire Grounding	9
引掛式附接地5P20A, 5P30A產品	

NEMA Configuration Chart

How TO USE THE CHART

CLOSED SLOTS indicates Plug Body. (Male)

OPEN SLOTS indicates Receptacle / Connector Body. (Female)



Catalog pages reference in **RED**

NEMA configurations locates in lower right.

Straight Blade Devices

NEMA	Voltage	15 AMPERE		20 AMPERE	
		Plug	Receptacle	Plug	Receptacle
5	125V	 P. 2 5-15P	 P. 2 5-15R	 P. 3 5-20P	 P. 3 5-20R
6	250V	 P. 3 6-15P	 P. 3 6-15R	 P. 3 6-20P	 P. 3 6-20R

Midget Locking Devices

15 Amp 125/ 250V AC

Plug	Receptacle
 P. 4 ML-3P	 P. 4 ML-3R

Locking Type Devices

Rating		15 AMPERE		20 AMPERE		30 AMPERE	
		Plug	Receptacle	Plug	Receptacle	Plug	Receptacle
2 POLE 3 WIRE GROUNDING	L5 125V	 P. 4 L5-15P	 P. 4 L5-15R	 P. 5 L5-20P	 P. 5 L5-20R	 P. 6 L5-30P	 P. 6 L5-30R
	L6 250V	 P. 4 L6-15P	 P. 4 L6-15R	 P. 5 L6-20P	 P. 5 L6-20R	 P. 6 L6-30P	 P. 6 L6-30R
	L7 277V AC	 P. 4 L7-15P	 P. 4 L7-15R	 P. 5 L7-20P	 P. 5 L7-20R	 P. 6 L7-30P	 P. 6 L7-30R
	L8 480V AC			 P. 5 L8-20P	 P. 5 L8-20R	 P. 6 L8-30P	 P. 6 L8-30R
3 POLE 3 WIRE	L10 125/250V			 P. 5 L10-20P	 P. 5 L10-20R		
3 POLE 4 WIRE GROUNDING	L14 125/250V			 P. 7 L14-20P	 P. 7 L14-20R	 P. 8 L14-30P	 P. 8 L14-30R
	L15 3 Ø 250V			 P. 7 L15-20P	 P. 7 L15-20R	 P. 8 L15-30P	 P. 8 L15-30R
	L16 3 Ø 480V			 P. 7 L16-20P	 P. 7 L16-20R	 P. 8 L16-30P	 P. 8 L16-30R
	L17 3 Ø 600V					 P. 8 L17-30P	 P. 8 L17-30R
4 POLE 5 WIRE GROUNDING	L21 3 Ø Y 120/208V			 P. 9 L21-20P	 P. 9 L21-20R	 P. 10 L21-30P	 P. 10 L21-30R
	L22 3 Ø Y 277/480V			 P. 9 L22-20P	 P. 9 L22-20R	 P. 10 L22-30P	 P. 10 L22-30R
	L23 3 Ø Y 347/600V			 P. 9 L23-20P	 P. 9 L23-20R	 P. 10 L23-30P	 P. 10 L23-30R

STRAIGHT BLADE DEVICES



NEMA 5-15 15 Amp, 125V



STRAIGHT BLADE

Plug

Material: Nylon



J-710



(Lighted)
J-710L



(Hospital Grade)
J-710H



(Angle Plug)
J-810



J-910Y



J-910
(Clam Shell)



(Watertight)
J-14W47

Connector

Material: Nylon



J-712



(Lighted)
J-712L



(Clam Shell)
J-912



(Clam Shell)
J-912Y



(Watertight)
J-15W47

Flanged Inlet

Material: Nylon



J-501



J-501C

Flanged Outlet

Material: Nylon



J-502

** J-501 has front cover, J-595
** J-502 has front cover, J-599
** J-596, back cover for J-501 and J-502

Dust rubber cover:



J-595 Inlet cover

(For NEMA 5-15, 6-15, 5-20, 6-20, L5-15 and L6-15 Flanged Inlet)



J-598 Inlet cover

(For 3 Wire Locking Flanged Inlet)

J-599 Outlet cover

(For NEMA 5-15, 6-15, 5-20, 6-20, L5-15 and L6-15 Flanged Outlet)

J-597 Inlet cover

(For 4 Wire / 5 Wire Locking Flanged Inlet)



J-596 Back cover

(For NEMA 5-15, 6-15, 5-20, 6-20, L5-15 and L6-15 Flanged Inlet/ Outlet)




Assembling Illustration

STRAIGHT BLADE DEVICES

STRAIGHT BLADE

NEMA 6-15 15 A 250V



Plug

J-720



Clam Shell

J-920



Angle Plug

J-820



Flanged Inlet

J-505



Connector

J-722



Clam Shell

J-922



Flanged Outlet

J-506

NEMA 5-20 20 A 125V



Plug

J-716



Clam Shell

J-916



Angle Plug

J-816



Flanged Inlet

J-503



Connector

J-718



Clam Shell


J-918



Flanged Outlet

J-504

NEMA 6-20 20 A 250V



Plug

J-726



Clam Shell

J-926



Angle Plug

J-826



Flanged Inlet

J-507



Connector

J-728



Clam Shell

J-928



Flanged Outlet

J-508

Note 1: Dust rubber cover is available for Flanged Inlet and Flanged Outlet. See page 2.

LOCKING TYPE DEVICES



15A 2 Pole 3 Wire Grounding

NEMA L5-15 15A 125V



NEMA L6-15 15A 250V



NEMA L7-15 15A 277V



LOCKING TYPE

Note 1: * not UL Certified.

Note 2: Dust rubber cover is available for Flanged Inlet and Flanged Outlet. See page 2.

LOCKING TYPE DEVICES



20A 2 Pole 3 Wire Grounding

LOCKING TYPE

NEMA L5-20 20A 125V



Plug
WJ-8320



Flanged Inlet
J-513



Connector
WJ-9320B



Flanged Outlet
J-514



Receptacle
WJ-6323B

NEMA L6-20 20A 250V



Plug
WJ-8321



Flanged Inlet
J-515



Connector
WJ-9321B



Flanged Outlet
J-516



Receptacle
WJ-6322B

NEMA L7-20 20A 277V



Plug
WJ-8325



Connector
WJ-9325



Receptacle
WJ-6325

NEMA L8-20 20A 480V



Plug
WJ-8326





Connector
WJ-9326



Receptacle
WJ-6326

20Amp 3 Pole 3 Wire

NEMA L10-20 20A 125/250V



Receptacle
WJ-6328

Note 1: Dust rubber cover is available for Flanged Inlet and Flanged Outlet. See page 2.

LOCKING TYPE DEVICES

30A 2 Pole 3 Wire Grounding



NEMA L5-30 30A 125V



Plug
WJ-8330



Flanged Inlet
J-517



Connector
WJ-9330B



Flanged Outlet
J-518



Receptacle
WJ-6330B

NEMA L6-30 30A 250V




Plug
WJ-8331



Flanged Inlet
J-519



Connector
WJ-9331B



Flanged Outlet
J-520



Receptacle
WJ-6331B

NEMA L7-30 30A 277V



Plug
WJ-8335



Flanged Inlet
J-571*



Connector
WJ-9335



Flanged Outlet
J-572*



Receptacle
WJ-6335

NEMA L8-30 30A 480V



Plug
WJ-8336



Flanged Inlet
J-573*



Connector
WJ-9336



Flanged Outlet
J-574*



Receptacle
WJ-6336

Note 1: * not UL Certified.

Note 2: Dust rubber cover is available for Flanged Inlet and Flanged Outlet. See page 2.

LOCKING TYPE


LOCKING TYPE DEVICES

20A 3 Pole 4 Wire Grounding



LOCKING TYPE

NEMA L14-20 20A 125/250V



Plug

WJ-8420



Flanged Inlet

J-521



Connector

WJ-9420B



Flanged Outlet


J-522



Receptacle

WJ-6420B

NEMA L15-20 20A 250V



Plug

WJ-8421



Flanged Inlet

J-523



Connector

WJ-9421B



Flanged Outlet

J-524



Receptacle

WJ-6421B

NEMA L16-20 20A 480V



Plug

WJ-8422



Flanged Inlet

J-529



Connector

WJ-9422



Flanged Outlet

J-530



Receptacle

WJ-6423

Note 1: Dust rubber cover is available for Flanged Inlet and Flanged Outlet. See page 2.

LOCKING TYPE DEVICES

30A 3 Pole 4 Wire Grounding



LOCKING TYPE

NEMA L14-30 30A 125/250V



Plug
WJ-8430



Flanged Inlet
J-525



Connector
WJ-9430B



Flanged Outlet
J-526



Receptacle
WJ-6430B

NEMA L15-30 30A 250V



Plug
WJ-8431



Flanged Inlet
J-527



Connector
WJ-9431B



Flanged Outlet
J-528



Receptacle
WJ-6436B

NEMA L16-30 30A 480V



Plug
WJ-8432



Flanged Inlet
J-531



Connector
WJ-9432



Flanged Outlet
J-532



Receptacle
WJ-6437

NEMA L17-30 30A 600V



Plug
WJ-8433



Flanged Inlet
J-533



Connector
WJ-9433



Flanged Outlet
J-534



Receptacle
WJ-6438

Note 1: Dust rubber cover is available for Flanged Inlet and Flanged Outlet. See page 2.

LOCKING TYPE DEVICES

20A 4 Pole 5 Wire Grounding



LOCKING TYPE

NEMA L21-20 20A 120/208V



Plug

WJ-8521



Flanged Inlet
J-535



Connector
WJ-9521




Flanged Outlet
J-536



Receptacle
WJ-6521

NEMA L22-20 20A 277/480V



Plug

WJ-8522



Flanged Inlet
J-539 *



Connector
WJ-9522



Flanged Outlet
J-540 *



Receptacle
WJ-6522

NEMA L23-20 20A 347/600V



Plug

WJ-8523 *



Flanged Inlet
J-543 *



Connector
WJ-9523 *



Flanged Outlet
J-544 *

Note 1: * not UL Certified.


Note 2: Dust rubber cover is available for Flanged Inlet and Flanged Outlet. See page 2.

LOCKING TYPE DEVICES



30A 4 Pole 5 Wire Grounding

NEMA L21-30 30A 120/208V



Plug
WJ-8531



Flanged Inlet
J-537



Connector
WJ-9531




Flanged Outlet
J-538



Receptacle
WJ-6531

NEMA L22-30 30A 277/480V



Plug
WJ-8532



Flanged Inlet
J-541*



Connector
WJ-9532




Flanged Outlet
J-542*



Receptacle
WJ-6532

NEMA L23-30 30A 347/600V



Plug
WJ-8533*



Flanged Inlet
J-545 *



Connector
WJ-9533*



Flanged Outlet
J-546*



Receptacle
WJ-6533*

LOCKING TYPE

Note 1: * not UL Certified.

Note 2: Dust rubber cover is available for Flanged Inlet and Flanged Outlet. See page 2.



4-B Jules Lane, New Brunswick, NJ 08901

www.MEGAElectronics.com

732.249.2656